Medical Home Profile at a Glance

lowa: 47.0 %

National Rate: 43.0 %

Range across States: 34.2 % - 50.7 %

lowa

Medical Home Performance Profile for CHILDREN WITH SPECIAL HEALTH CARE NEEDS (CSHCN) Data Source: 2009/10 National Survey of Children with Special Health Care Needs (NS-CSHCN)

Prevalence of Medical Home in Iowa

| Prevalence of Medical Home in Iowa | | |
|--|---------------------------|---------|
| CSHCN (age 0-17 years) | State | Nation |
| Met all medical home criteria | 47.0 % | 43.0 % |
| Age of Child | | |
| 0 - 5 Years Old | 44.6 % | 44.2 % |
| 6 - 11 Years Old | 49.2 % | 42.1 % |
| 12 - 17 Years Old | 46.0 % | 43.1 % |
| Sex of Child | | |
| Male | 49.0 % | 42.6 % |
| Female | 43.9 % | 43.6 % |
| Household Poverty Level (Federal Poverty Level [I | FPL] Guidelines) | |
| 0% - 99% FPL | 37.0 % | 30.9 % |
| 100% - 199% FPL | 36.9 % | 37.5 % |
| 200% - 399% FPL | 53.9 % | 47.4 % |
| 400% FPL or Higher | 57.8 % | 52.2 % |
| *For more information on FPL guidelines, please visit http://aspe. | hhs.gov/poverty/09Poverty | y.shtml |
| Race/Ethnicity of Child | | |
| Hispanic | 38.0 % | 33.2 % |
| White, Non-Hispanic | 49.2 % | 48.8 % |
| Black, Non-Hispanic | NA** | 33.5 % |
| Multi-Racial/Other, Non-Hispanic | 38.3 % | 39.1 % |
| Type of Insurance | | |
| Private Insurance Only | 53.2 % | 51.2 % |
| Public Insurance such as Medicaid or SCHIP | 37.6 % | 34.0 % |
| Both Private & Public Insurance | 45.3 % | 35.3 % |
| Uninsured | NA** | 24.2 % |

Components of Medical Home

| Accessibility | State | Nation | |
|---|-------------------|--------|--|
| Has a personal doctor or nurse | 93.3 % | 93.1 % | |
| Family-Centered Care (% who Report "Usually" or "Always") | | | |
| Doctor spends enough time | 79.4 % | 77.5 % | |
| Doctor listens carefully | 87.9 % | 87.7 % | |
| Doctor provides needed information | 84.7 % | 82.4 % | |
| Doctor helps parent feel like partner in care | 88.1 % | 87.0 % | |
| Comprehensive | | | |
| Had no problems getting referrals when needed | 80.9 % | 76.6 % | |
| Has a usual source for both sick and well care | 92.2 % | 89.3 % | |
| Coordinated (% Among CSHCN Receiving 2 or Mor | e Types of Servic | es) | |
| Received effective care coordination, when needed | 57.3 % | 56.0 % | |
| Received any help with arranging or coordinating care | 20.4 % | 21.4 % | |
| Very satisfied with communication between doctors, when needed | 60.3 % | 62.7 % | |
| Very satisfied with communication between doctors and school, when needed | 54.9 % | 53.1 % | |
| Culturally Effective (% who Report "Usually" or "Always") | | | |
| Doctor is sensitive to family customs and values | 90.8 % | 88.9 % | |

Citation format: Child and Adolescent Health Measurement Initiative. 2009/10 National Survey of Children with Special Health Care Needs Medical Home State Profile. Data Resource Center for Child and Adolescent Health website. Retrieved [mm/dd/yy] from http://childhealthdata.org/browse/medicalhome.

**NA Estimates based on sample sizes too small to meet standards for reliability or precision. The relative standard error is greater than or equal to 30% and/or the number of responses is less than 20.

For more information on the Medical Home concept, resources related to Medical Home, or more Medical Home data, please go to http://childhealthdata.org/browse/medicalhome.