

Medical Home Profile at a Glance

Missouri: 44.9 %

National Rate: 43.0 %

Range across States: 34.2 % - 50.7 %

Missouri

Medical Home Performance Profile for CHILDREN WITH SPECIAL HEALTH CARE NEEDS (CSHCN) Data Source: 2009/10 National Survey of Children with Special Health Care Needs (NS-CSHCN)

Prevalence of Medical Home in Missouri

CSHCN (age 0-17 years)	State	Nation	
Met all medical home criteria	44.9 %	43.0 %	
Age of Child			
0 - 5 Years Old	35.2 %	44.2 %	
6 - 11 Years Old	44.8 %	42.1 %	
12 - 17 Years Old	51.0 %	43.1 %	
Sex of Child			
Male	47.2 %	42.6 %	
Female	41.5 %	43.6 %	
Household Poverty Level (Federal Poverty Level	[FPL] Guidelines)		
0% - 99% FPL	32.4 %	30.9 %	
100% - 199% FPL	46.6 %	37.5 %	
200% - 399% FPL	48.1 %	47.4 %	
400% FPL or Higher	51.8 %	52.2 %	
*For more information on FPL guidelines, please visit http://aspe.hhs.gov/poverty/09Poverty.shtml			
Race/Ethnicity of Child			
Hispanic	NA**	33.2 %	
White, Non-Hispanic	45.2 %	48.8 %	
Black, Non-Hispanic	38.9 %	33.5 %	
Multi-Racial/Other, Non-Hispanic	54.1 %	39.1 %	
Type of Insurance			
Private Insurance Only	49.4 %	51.2 %	
Public Insurance such as Medicaid or SCHIP	42.5 %	34.0 %	
Both Private & Public Insurance	NA**	35.3 %	
Uninsured	NA**	24.2 %	

Components of Medical Home

Accessibility	State	Nation	
Has a personal doctor or nurse	92.9 %	93.1 %	
Family-Centered Care (% who Report "Usually" or "Always")			
Doctor spends enough time	78.0 %	77.5 %	
Doctor listens carefully	87.7 %	87.7 %	
Doctor provides needed information	83.7 %	82.4 %	
Doctor helps parent feel like partner in care	86.8 %	87.0 %	
Comprehensive			
Had no problems getting referrals when needed	80.8 %	76.6 %	
Has a usual source for both sick and well care	87.4 %	89.3 %	
Coordinated (% Among CSHCN Receiving 2 or More Types of Services)			
Received effective care coordination, when needed	58.7 %	56.0 %	
Received any help with arranging or coordinating care	19.4 %	21.4 %	
Very satisfied with communication between doctors, when needed	63.9 %	62.7 %	
Very satisfied with communication between doctors and school, when needed	50.6 %	53.1 %	
Culturally Effective (% who Report "Usually" or "Always")			
Doctor is sensitive to family customs and values	88.1 %	88.9 %	
Citation format: Child and Adolescent Health Measurement Initiative.	2009/10 National Surv	ev of Children with	

Citation format: Child and Adolescent Health Measurement Initiative. 2009/10 National Survey of Children with Special Health Care Needs Medical Home State Profile. Data Resource Center for Child and Adolescent Health website. Retrieved [mm/dd/yy] from http://childhealthdata.org/browse/medicalhome.

**NA Estimates based on sample sizes too small to meet standards for reliability or precision. The relative standard error is greater than or equal to 30% and/or the number of responses is less than 20.

For more information on the Medical Home concept, resources related to Medical Home, or more Medical Home data, please go to http://childhealthdata.org/browse/medicalhome.

Prepared by the Child and Adolescent Health Measurement Initiative (CAHMI) in collaboration with the American Academy of Pediatrics (AAP), with funding from the Maternal and Child Health Bureau (MCHB), Health Resources and Services Administration (HRSA), U.S. Department of Health and Human Services.